



# Datenblatt

HP GT51XL 135-ml Black Original Ink Bottle (X4E40AA)

Pre-Release bis: 15.08.2017

## Überblick

Image not available



Print thousands of quality pages without interruption – at an extremely low cost per page.<sup>1</sup> High-yield Original HP ink bottles are the perfect match for high-volume printing. Add ink when you want and count on HP premium quality and reliability.

**Print thousands of pages at an extremely low cost per page.<sup>1</sup> It's easy with the high-capacity HP ink tank system.**

**You decide when to add more ink. Easily see ink levels and replenish when it's convenient for you. Print without worries, knowing Original HP inks were designed with your HP ink tank printer.**

**Impress with outstanding HP quality and reliability. Print crisp documents with sharp lines, graphics, and text with Original HP inks.**

## Spezifikationen

### Farbe(n) für Druckverbrauchsmaterialien

Schwarz

### Tintentypen

Pigmentiert

### Ergiebigkeit (Schwarz/Weiß)

~6,000 pages

*(Black and composite colour average per bottle (cyan/magenta/yellow) results based on HP methodology from the simulation of continuous printing of ISO/IEC 24712 test pages. Not based on ISO/IEC 24711 test process. An additional black ink bottle is required to print 8,000 colour test pages. Actual yield varies based on content of printed pages and other factors. For more information about fill and yield, see <http://www.hp.com/go/learnabouteink>.)*

### Zugeführte Tinten-/Tonermenge

80 ml

### Temperaturbereich bei Betrieb

15 bis 30 °C

### Lagertemperatur

-40 to 60°C

### Luftfeuchtigkeit bei Lagerung

20 to 80% RH

### Mindestabmessungen (B x T x H)

58 x 58 x 158 mm

### Gewicht

0,11 kg

### UPC-Nummer

190781886181

**Paketabmessungen (B x T x H)**

58 x 58 x 158 mm

**Paketgewicht**

0,12 kg

**Barcode des kleineren Master-Kartons**

10190781886188

**Menge in Versandkarton (klein)**

20

**Abmessungen der Kiste oder des Master-Kartons (B x T x H)**

376 x 259 x 184 mm

**Behältergewicht (Kiste oder Masterkarton)**

2,63 kg

**Menge je Palette**

1584

**Palettenabmessungen (B x T x H)**

1219.2 x 1016 x 1410 mm

**Palettengewicht**

334.31 kg

**Herkunftsland**

Made in Malaysia

**Lieferumfang**

Ink bottle

**Garantie**

HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty.

---

**Überblick**

- 1 HP ink bottles compared to HP ink cartridges. Cost per page based on expected black and composite (cyan/magenta/yellow) page yield results based on HP methodology and continuous printing of ISO/IEC 24712 test pages. Actual yield varies based on content of printed pages and other factors. For more information about fill and yield, see <http://www.hp.com/go/learnaboutequipment>.

## Detaillierte Spezifikationen

### **Abmessungen der Kiste oder des Master-Kartons (B x T x H)**

376 x 259 x 184 mm

### **Anzahl Kartons auf Palette**

66

### **Auflösungstechnologie**

TJ 2.x

### **Barcode des kleineren Master-Kartons**

10190781886188

### **Barcode für Palette**

30190781886182

### **Behältergewicht (Kiste oder Masterkarton)**

2,63 kg

### **Bild, Haftungsausschluss**

Bild zeigt eventuell anderes Produkt

### **Codename**

Kronos Refresh

### **Copyright-Hinweis**

Das Produkt kann sich von den gezeigten Abbildungen unterscheiden. © Copyright 2017 HP Development Company, L.P. Die enthaltenen Informationen können sich jederzeit ohne vorherige Ankündigung ändern. Die Garantien für HP Produkte und Services werden ausschließlich in der entsprechenden, zum Produkt bzw. Service gehörigen Garantieerklärung beschrieben. Die hier enthaltenen Informationen stellen keine zusätzliche Garantie dar. HP haftet nicht für hierin enthaltene technische oder redaktionelle Fehler oder Auslassungen.

### **Druckleistung (in Seiten) – Fußnote**

Black and composite colour average per bottle (cyan/magenta/yellow) results based on HP methodology from the simulation of continuous printing of ISO/IEC 24712 test pages. Not based on ISO/IEC 24711 test process. An additional black ink bottle is required to print 8,000 colour test pages. Actual yield varies based on content of printed pages and other factors. For more information about fill and yield, see <http://www.hp.com/go/learnaboutsupplies>.

### **Drucktechnologie**

Thermischer HP Tintenstrahldruck

### **Ergiebigkeit (Schwarz/Weiß)**

~6,000 pages

### **Farbe(n) für Druckverbrauchsmaterialien**

Schwarz

### **Funktionsunterstützung, Fußnotenziffer**

[1]

### **Funktionsunterstützung, Fußnotenziffer**

[4]

### **Funktionsunterstützung, Fußnotenziffer**

[5]

### **Funktionsunterstützung, Fußnotenziffer**

[6]

### **Funktionsunterstützung, Fußnotenziffer**

[7]

### **Garantie**

HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty.

**Garantie**

HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty. This warranty pertains to the product when used in its designated HP or authorized OEM printing device. HP will, at HP's option, either refund the purchase price or replace products that prove to be defective. Visit the HP online support web site <http://www.hp.com/support> for a list of support phone numbers and conditions or return to your point of purchase.

**Gewicht**

0,11 kg

**Gewicht**

0,24 lb

**Haftungsausschluss [01]**

[4] See <http://www.hp.com/go/suppliesclaims>.

**Haftungsausschluss [02]**

[5] HP Planet Partners Program availability varies. For details, see [www.hp.com/recycle](http://www.hp.com/recycle). On recycled materials in cartridges, see <http://www.hp.com/go/recycledcontent>.

**Haftungsausschluss [03]**

[1] HP ink bottles compared to HP ink cartridges. Cost per page based on expected black and composite (cyan/magenta/yellow) page yield results based on HP methodology and continuous printing of ISO/IEC 24712 test pages. Not based on ISO/IEC 24711 test process. Actual yield varies based on content of printed pages and other factors. Some ink from included bottles is used to start up the printer. For more information about fill and yield, see <http://www.hp.com/go/learnaboutsplies>.

**Haftungsausschluss [04]**

[6] Water resistance based on Original HP inks printed on HP photo papers in HP internal testing based on ISO 18935 standards. Image permanence estimates based on Original HP inks printed on HP photo papers. For more information, see <http://www.hp.com/go/printpermanence>.

**Haftungsausschluss [05]**

[7] When used in accordance with set up instructions.

**Hardwarekompatibilität**

HP DeskJet GT 5810 All-in-One Printer; HP DeskJet GT 5820 All-in-One Printer

**Herkunftsland**

Made in Malaysia

**Kennnummer**

GT51XL

**Lagenanzahl auf Palette**

7

**Lagertemperatur**

-40 to 60°C

**Lieferumfang**

Ink bottle

**Luftfeuchtigkeit bei Lagerung**

20 to 80% RH

**Luftfeuchtigkeitsbereich im Betrieb**

20 bis 80 % rF

**Menge in Versandkarton (klein)**

20

**Menge je Palette**

1584

**Mindestabmessungen (B x T x H)**

58 x 58 x 158 mm

**Paketabmessungen (B x T x H)**

58 x 58 x 158 mm

**Paketgewicht**

0,12 kg

**Paketgewicht**

0,27 lb

**Palettenabmessungen (B x T x H)**

1219.2 x 1016 x 1410 mm

**Palettengewicht**

334.31 kg

**Palettengewicht**

737.03 lb

**Produktanzahl pro Einheit**

1

**Produktuntergruppe**

Tintenpatronen mit Standardkapazität

**Temperaturbereich bei Betrieb**

15 bis 30 °C

**Tintentypen**

Pigmentiert

**UNSPSC-Code**

44103105

**UPC-Nummer**

190781886181

**Zugeführte Tinten-/Tonermenge**

80 ml

*Das Produkt kann sich von den gezeigten Abbildungen unterscheiden. © Copyright 2015 HP Inc. Änderungen vorbehalten. Für HP Produkte und Dienste gelten ausschließlich die Bestimmungen in der Gewährleistungserklärung des jeweiligen Produkts bzw. Dienstes. Aus dem vorliegenden Dokument sind keine weiterreichenden Garantieansprüche abzuleiten. HP übernimmt keine Haftung.*